

6090SFM75


_	4		3 2 [⁷⁴¹ mmetr 6090SFM75 JD90 178 Å	_
ſ		OPTIONS SHOWN	FOR CENTER-OF-GRAVITY INFORMATION,	1
ŀ	OPTION	GROUP NAME	REFER TO THE ENGINE PERFORMANCE CURVE(S).	
ŀ	1107_RE525694	ROCKER ARM COVER		
D	1350_RE534849	CRANKSHAFT PULLEY AND DAMPER		D
ŀ	1425_RE533284	SAE #2 FLYWHEEL HOUSING	A A A A A A A A A A A A A A A A A A A	
ŀ	1524_RE533285	FLYWHEEL - II.5IN OC CLUTCH		
l	1608_RE534850	FUEL INJECTION PUMP		
l	1709_RE534851	AIR INTAKE		
l	1801_RE534852	AIR CLEANER		
[1950_RE538610	OIL PAN		
l	2001_RE523116	WATER PUMP		
l	2112_RE534853	THERMOSTAT COVER		
l	2201M_RE522968	THERMOSTAT		
	23GA_RE 525546	NO FAN DRIVE		
	2445_RE534854	BELT AND BELT GUARD		
C [2701_RE534855	HEAT EXCHANGER		C
	2818_RE534856	EXHAUST MANIFOLD		
	2910_RE534857	CRANKCASE VENTILATION SYSTEM		
	3001_RE523123	STARTING MOTOR - DENSO R4.0 12V		
	3124_RE534950	ALTERNATOR 12 VOLT, 140 AMP DENSO		
	3514_RE534858	FUEL FILTER		
M	3916_RE534859	THERMOSTAT HOUSING		
	4029_RE535378	OIL DIPSTICK & FILL		
	4601_RE523129	CYLINDER BLOCK		
	4702_RE533303	CRANKSHAFT		609
	4804_RE 54 596	CONNECTING RODS AND PISTONS		90SFM7
	4901_RE523132	VALVE ACTUATING MECHANISM		- M 7
╷║	5002_RE533306	OIL PUMP	ORIGIN - CENTERLINE OF CRANKSHAFT AT REAR FACE OF BLOCK	5
∥	5101_RE523134	CYLINDER HEAD		5
∥	5203_RE525551	AUXILIARY DRIVE		90
∥	5498_RE535443	AIR INTAKE TURBO		1/8
∥	5611_RE535862	PAINT		
╟	5711_RE534864	WATER PUMP INLET		F
╢	5930_RE534865	OIL COOLER AND FILTER		
╟	6220_RE534955	ALTERNATOR MOUNTING		
╟	6404_RE534866	EXHAUST ELBOW		
╟	6548_RE534867		5 10	
╟	6902_RE527947	SERIAL NUMBER PLATE		_
╟	7706_RE541402	TIMING GEAR COVER		-
╟	8001_RE534868	SEA WATER PUMP		4
╟	8425_RE534869 9806_RE535324	WIRING HARNESS LIFT STRAPS		1
l	3000_RE333324	LIFI JIKAPS	DRW RL DRW REV	1
			I/5 SCALE Chonging A.5 DELINE COUNT NOT Earr MOLINE Earr MOLINE Earr LIDE MOLINE LILINOIS 61265 I/8 SOURCING COSED JUB90 Martineet 6090SFM75 Artifier	-
-	4			•
	7	I		


Marine Engine Installation Drawings

			4	з Ц			2	PART MUNDER	. VERSION SHEET REV	7 1		
			4	3			ZONE SYM	6090SFM75	JD90 2/8 A DESCRIPTION	CHANGE DOC DATE(YYYY-NM-DD APPROVED	_	
							LONE STR		Deserve and the second s	xxx 2009-04-09 J.BARRET		
D	CUSTOMER INSTALLATION POINTS				WIRING HARNESS CONNECTION LOCATIONS							
	ITEM SHEET NAME REMARKS									-1		
	AI	7	AIR - TURBO INLET	Ø139.7, 44.45 ENGAGEMENT	SI	3	FUEL PRES	SSURF			\neg	
	BRI	5	BRACKET - FRONT LIFT EYE	25.4 X 38.1	÷ .	S2 3 FUEL TEMPERATURE				-1		
	BR2	3	BRACKET - REAR LIFT EYE	25.4 X 41.1	S3 3		OIL PRESSURE				-1	
	C01	5	COOLANT - AUXILIARY RETURN	I/2-I4 NPSF	53 54	3	WATER -				-1	
—	C 0 2	5	COOLANT - AUXILIARY SUPPLY	2X 3/4-14 NPSF	\$5	7	_	T TEMPERATUR	c		$\dashv \vdash$	
	DRI	4	DRIVE - MAG PICKUP	3/4-16 UNF-2B	55 56	3	CRANK POS		L		-1	
	ELI	6	ALTERNATOR	SEE OPTION DRAWING	<u> </u>	3		TEMPERATURE	(18)		$-\parallel$	
	EL2	5	STARTING MOTOR	SEE OPTION DRAWING	57 58	3						
	FLI	3	FUEL - INLET	-06 ORFS (11/16-16UN -2A)					- BEHIND FIP		_	
	FL2	3	FUEL - RETURN	-06 ORFS (11/16-16UN -2A)	\$9	3		P CONTROL VA	LVE		$-\parallel$	
C	мот	3,5	MOUNTING HOLES - ENGINE BLOCK	IOX MI6 X 2-6H ▼ 54.8 MIN	\$10	3	RAIL PRES				_ C	
	MO2	3,5	MOUNTING HOLES - FLYWHEEL HOU	SING 8X MI6 X 2-6H ∓ 24 MIN	\$11	1		T PRESSURE			$-\parallel$	
	моз	4	MOUNTING HOLES - FLYWHEEL HOU		\$12	3	FUEL TRANS	SFER PUMP				
	MO4	4	MOUNTING HOLES - FLYWHEEL	8X 3/8-16 UNC-2B ▼ 18.3 MIN Ø10							_	
	SWI	5	SEA WATER PUMP INLET	Ø 63.5. 44.45 ENGAGEMENT				CUSTOM	ER SERVICE POIN	TS		
		-			ITEM	SHEET		NAME		REMARKS		
					1	3	FUEL - FI	ILTER, FINAL		26 mm REMOVAL DISTANCE	-14-	
					2	3	FUEL - WA	ATER IN FUEL	DRAIN			
					3	3	LUBE - O	IL FILTER		115 mm REMOVAL DISTANCE	- 6	
					4	3		IL FILL/ DIP	STICK	388 mm REMOVAL DISTANCE	6090SFM75	
					5	3	LUBE - O			3/4-14 NPT	귀운	
					6	5	LUBE - O			7/8-14 UNF -2A IN	-1121	
B					7	3		TER PRIMARY		60 mm REMOVAL DISTANCE		
					8	3		TOOL OPENIN	G		D60f	
					9	1	ROCKER AF		•		2/8	
					10	3			TILATION SYSTEM	4 50.8 REMOVAL DISTANCE		
						3,4,7	AIR CLEAN			178 REMOVAL DISTANCE	_ ≥₹	
					12	5		TION DRAIN			-	
					13	6	COOLANT D			WATER PUMP COVER	-	
					14	3				FILTER SERVICE INDICATOR	-	
					15	5	COOLANT [BLOCK		
					16	3,5	ZINC ANOL			BLOCK		
					17	5				105mm IMPELLER REMOVAL DISTANC		
A						3	SEA WATER	N FUMF		LINDIUM IMPELLER REMOVAL DISTANC	<u>ب</u>	
										Cut Instante		
										Size Part Number C Vicesion Vicesion JD90 Size JD90 Size JD90 Size JD90 Size JD90 Size		
			4	3			2				<u> </u>	
			4	3			۷		I	I		









6090SFM75

